

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a first thin film comprising an organic material and a dopant by evaporation;
~~with constant evaporation rates of the organic material and the dopant; and~~
forming a second thin film comprising the organic material by stopping the evaporation
of the dopant while continuing the evaporation of the organic material.

2. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a first thin film comprising an organic material by evaporation; and
forming a second thin film comprising the organic material and a dopant by evaporating
the dopant while continuing the evaporation of the organic material, wherein evaporation of the
dopant begins after the first thin film is formed. ~~with constant evaporation rates of the organic
material and the dopant.~~

3. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a first luminous layer comprising a luminous material and a dopant by
evaporation; ~~with constant evaporation rates of the luminous material and the dopant; and~~
forming a second luminous layer comprising the luminous material by stopping the
evaporation of the dopant while continuing the evaporation of the luminous material.

4. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a first luminous layer comprising a luminous material by evaporation; and
forming a second luminous layer comprising the luminous material and a dopant by
evaporating the dopant while continuing the evaporation of the luminous material, wherein

evaporation of the dopant begins after the first luminous layer is formed. ~~with constant evaporation rates of the luminous material and the dopant.~~

5. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a red luminous layer comprising a luminous material and a dopant by
evaporation; ~~with constant evaporation rates of the luminous material and the dopant;~~ and
forming a green luminous layer comprising the luminous material by stopping the
evaporation of the dopant while continuing the evaporation of the luminous material.

6. (Currently Amended) A method of manufacturing a light emitting device, comprising:
forming a green luminous layer comprising a luminous material by evaporation; and
forming a red luminous layer comprising the luminous material and a dopant by
evaporating the dopant while continuing the evaporation of the luminous material. ~~with constant evaporation rates of the luminous material and the dopant.~~

7. (Previously Presented) A method of manufacturing a light emitting device according to
claim 1, wherein a metallic film is formed over the second thin film.

8. (Previously Presented) A method of manufacturing a light emitting device according to
claim 1, wherein the organic material is Alq₃ (tris-8-quinolilite-aluminum complex).

9. (Previously Presented) A method of manufacturing a light emitting device according to
claim 1, wherein the dopant is an organic material by which fluorescence can be obtained.

10. (Previously Presented) A method of manufacturing a light emitting device according
to claim 1, wherein the dopant is an organic material by which phosphorescence can be obtained.

11. (Currently Amended) A method of manufacturing a light emitting device according to claim 1, wherein said light emitting device is incorporated into an electronic device selected ~~form~~from the group consisting of a video camera, a digital camera, a goggle type display, a car navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

12. (Previously Presented) A method of manufacturing a light emitting device according to claim 2, wherein a metallic film is formed over the second thin film.

13. (Previously Presented) A method of manufacturing a light emitting device according to claim 3, wherein a metallic film is formed over the second luminous layer.

14. (Previously Presented) A method of manufacturing a light emitting device according to claim 4, wherein a metallic film is formed over the second luminous layer.

15. (Previously Presented) A method of manufacturing a light emitting device according to claim 2, wherein the organic material is Alq₃ (tris-8-quinolilite-aluminum complex).

16. (Previously Presented) A method of manufacturing a light emitting device according to claim 3, wherein the luminous material is Alq₃ (tris-8-quinolilite-aluminum complex).

17. (Previously Presented) A method of manufacturing a light emitting device according to claim 4, wherein the luminous material is Alq₃ (tris-8-quinolilite-aluminum complex).

18. (Previously Presented) A method of manufacturing a light emitting device according to claim 5, wherein the luminous material is Alq₃ (tris-8-quinolilite-aluminum complex).

19. (Previously Presented) A method of manufacturing a light emitting device according to claim 6, wherein the luminous material is Alq₃ (tris-8-quinolilite-aluminum complex).

20. (Previously Presented) A method of manufacturing a light emitting device according to claim 2, wherein the dopant is an organic material by which fluorescence can be obtained.

21. (Previously Presented) A method of manufacturing a light emitting device according to claim 3, wherein the dopant is an organic material by which fluorescence can be obtained.

22. (Previously Presented) A method of manufacturing a light emitting device according to claim 4, wherein the dopant is an organic material by which fluorescence can be obtained.

23. (Previously Presented) A method of manufacturing a light emitting device according to claim 5, wherein the dopant is an organic material by which fluorescence can be obtained.

24. (Previously Presented) A method of manufacturing a light emitting device according to claim 6, wherein the dopant is an organic material by which fluorescence can be obtained.

25. (Previously Presented) A method of manufacturing a light emitting device according to claim 2, wherein the dopant is an organic material by which phosphorescence can be obtained.

26. (Previously Presented) A method of manufacturing a light emitting device according to claim 3, wherein the dopant is an organic material by which phosphorescence can be obtained.

27. (Previously Presented) A method of manufacturing a light emitting device according to claim 4, wherein the dopant is an organic material by which phosphorescence can be obtained.

28. (Previously Presented) A method of manufacturing a light emitting device according to claim 5, wherein the dopant is an organic material by which phosphorescence can be obtained.

29. (Previously Presented) A method of manufacturing a light emitting device according to claim 6, wherein the dopant is an organic material by which phosphorescence can be obtained.

30. (Currently Amended) A method of manufacturing a light emitting device according to claim 2, wherein said light emitting device is incorporated into an electronic device selected ~~form~~from the group consisting of a video camera, a digital camera, a goggle type display, a car navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

31. (Currently Amended) A method of manufacturing a light emitting device according to claim 3, wherein said light emitting device is incorporated into an electronic device selected ~~form~~from the group consisting of a video camera, a digital camera, a goggle type display, a car navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

32. (Currently Amended) A method of manufacturing a light emitting device according to claim 4, wherein said light emitting device is incorporated into an electronic device selected ~~form~~from the group consisting of a video camera, a digital camera, a goggle type display, a car navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

33. (Currently Amended) A method of manufacturing a light emitting device according to claim 5, wherein said light emitting device is incorporated into an electronic device selected ~~form~~from the group consisting of a video camera, a digital camera, a goggle type display, a car

navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

34. (Currently Amended) A method of manufacturing a light emitting device according to claim 6, wherein said light emitting device is incorporated into an electronic device selected ~~from~~from the group consisting of a video camera, a digital camera, a goggle type display, a car navigation system, a sound reproduction system, a notebook type personal computer, a game apparatus, a portable information terminal, and an image playback device.

35-102. (Canceled)